



SWEPT PATH ANALYSIS - REFUSE VEHICLE

SCALE @ A1: 1:250
SCALE @ A3: 1:500



SWEPT PATH ANALYSIS - FIRE TENDER

SCALE @ A1: 1:250
SCALE @ A3: 1:500



SWEPT PATH ANALYSIS - MOTORHOME


SCALE @ A1: 1:250
SCALE @ A3: 1:500

NOTES

1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL ENGINEERS & ARCHITECTS DRAWINGS FIGURED DIMENSIONS ONLY (NOT SCALING) TO BE USED. WHERE A CONFLICT OF INFORMATION EXISTS OR IF IN ANY DOUBT - 'ASK'.
2. CONSULTANTS TO BE INFORMED IMMEDIATELY OF ANY DISCREPANCIES BEFORE WORK PROCEEDS.


VEHICLE PROFILE

REFUSE VEHICLE




Phoenix 2 Duo (P2-12W with Elite 6x4 chassis)
Overall Length 10.200m
Overall Width 2.408m
Overall Body Height 2.751m
Min Body Ground Clearance 0.304m
Track Width 2.500m
Lock-to-lock time 7.00s
Curb to Curb Turning Radius 7.800m

FIRE TENDER



DB32 Fire Appliance
Overall Length 8.680m
Overall Width 2.400m
Overall Body Height 3.450m
Min Body Ground Clearance 0.337m
Max Track Width 2.121m
Lock-to-lock time 6.00s
Curb to Curb Turning Radius 7.910m

MOTORHOME



MH - Motorhome
Overall Length 9.100m
Overall Width 2.400m
Overall Body Height 2.400m
Min Body Ground Clearance 0.370m
Track Width 2.400m
Lock-to-lock time 4.00s
Curb to Curb Turning Radius 12.200m

PL1	21.05.26	ISSUED FOR PLANNING	PS	PS	POD	MH
ISSUE	DATE	DESCRIPTION	DRN	DRN	P.E.	P.D.

PLANNING

BM BARRITT MAHONY
 Dublin Office: Sandwith House, 53-54 Lower Sandwith Street, Dublin 2, Ireland. Tel: (01) 677 3200 Fax: (01) 677 3164
 London Office: 5th Floor, Mill House, 8 Mill Street, London SE1 2BA, United Kingdom Tel: (0044) 20 3750 3530
 Consulting Engineers, Civil, Structural, Project Management. E-mail: bmce@bmce.ie Web: www.bmce.ie

Cavan Ar d'Tochfaí Tuaithe Our Rural Future
 Rialtas na hÉireann Government of Ireland
 Transnational European Project Ireland 2020

CLIENT
CAVAN COUNTY COUNCIL

PROJECT TITLE CORNAHILT, BALLYJAMESDUFF, CO. CAVAN	BM PROJECT No. 25.263
MODEL REFERENCE	MODEL REV. SUITABILITY

DRAWING TITLE
SWEPT PATH ANALYSIS

DRAWING No. 25263-BMD-ZZ-XX-DR-C-1040	ISSUE PL1
---	---------------------